

KEL | Centrally split cable entry frames

for cables with connectors / IP54 / UL Type 12



The classic KEL is a centrally split cable entry system for routing cables with connectors, providing an IP54 / up to UL Type 12 rating.

The slit [KT grommet](#) matching the cable diameter is placed around the cable and inserted into the cable entry frame. The split cable entry frames KEL match exactly the cut-out dimensions of 10-, 16- and 24-pin standard industrial connectors. Either a cut-out of 36 mm or 46 mm in height can be chosen depending on the cables being routed. The size KEL-B matches the cut-out dimensions of 46 x 46 mm measuring instruments.

Based on the frame sizes KEL 16 and KEL 24, there are also extended versions with additional middle frames available. Thus allowing a quick, easy and cost effective routing solution for up to 120 cables or hoses.

For tool-free assembly / disassembly of the cable entry frames the [snap mounting frame KEL-SNAP](#) can be used.

A flat rubber gasket is included in the shipment.

This product is available in different versions: With steel screws or stainless steel screws. It is also possible to integrate threaded bushings. Please ask us about your desired variant.

The version with threaded bushings enables the cable entry frame to be screwed onto the housing from the inside out. This protects against vandalism and tampering with the housing from the outside.



Specifications


| | |
|------------------------------|---|
| IP rating (EN 60529) | IP54 |
| UL Type (UL 50E) | UL Type 12 |
| Material | Polyamide |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 140 C° |
| Properties | vibration proof, silicone free, anti-corrosive (V2A versions), halogen free, UV-resistant |
| Mounting options | Screw type mounting, Snap-in with KEL-SNAP |
| Mounting height | 17 mm |

Advantages & benefits

- Warranty on pre-terminated cables remains
- Retrofits, repairs and maintenance can be done much more easily and quickly
- High cable density, wide variety of grommets
- Strain relief according to EN 62444
- High stability, vibration resistant
- Space-saving shape
- Greatly increased cable density when using double or quadruple grommets


Product types & sizes

KEL 24|10




| | |
|------------------------|----------------------|
| Part No. | 42241 |
| EAN | 4251269308277 |
| Package quantity | 10 |
| For max. no. of cables | 40 |
| Max. cable diameter | 17 mm |
| Length | 147 mm |
| Width | 58 mm |


| | |
|----------------------------------|---|
| Height | 17 mm |
| Mounting height | 17 mm |
| Cut-out size | 112 x 36 mm |
| No. of screw holes | 4 |
| Diam. of screw holes | 5,8 mm |
| Screw material | Mild steel, galvanically zinc plated |
| Min. cable diam., with connector | |
| Suitable for grommets | 10 x KT small |

KEL 24|10 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42241.200 | Height | 17 mm |
| EAN | 4251269308284 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 40 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 10 x KT small |

KEL 24|7


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42247 | Height | 17 mm |
| EAN | 4251269308314 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 25 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 6 x KT small 1 x KT large |

KEL 24|7 V2A


| | | | |
|------------------------|----------------------|----------------------------------|--------------------------------------|
| Part No. | 42247.200 | Height | 17 mm |
| EAN | 4251269308321 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 25 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 6 x KT small 1 x KT large |

KEL 24|5


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42248 | Height | 17 mm |
| EAN | 4251269308338 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 20 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 5 x KT small |

KEL 24|5 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42248.200 | Height | 17 mm |
| EAN | 4251269308345 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 20 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 5 x KT small |

KEL 24|4


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42244 | Height | 17 mm |
| EAN | 4251269308291 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 10 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 2 x KT small 2 x KT large |

KEL 24|4 V2A


| | | | |
|------------------------|----------------------|----------------------------------|--|
| Part No. | 42244.200 | Height | 17 mm |
| EAN | 4251269308307 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 112 × 36 mm |
| For max. no. of cables | 10 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 2 x KT small 2 x KT large |

KEL 24|15-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42209 | Height | 17 mm |
| EAN | 4251269308017 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 60 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 83 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 15 x KT small |

KEL 24|15-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42209.200 | Height | 17 mm |
| EAN | 4251269308024 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 60 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 83 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 15 x KT small |

KEL 24|12-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42208 | Height | 17 mm |
| EAN | 4251269307997 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 45 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 83 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 11 x KT small 1 x KT large |

KEL 24|12-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42208.200 | Height | 17 mm |
| EAN | 4251269308000 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 45 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 83 mm | Min. cable diam., with connector | 11 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 24|10-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 49056 | Height | 17 mm |
| EAN | 4251269312212 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 39 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 83 mm | Min. cable diam., with connector | 10 x KT small |
| | | Suitable for grommets | |

KEL 24|10-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 49056.200 | Height | 17 mm |
| EAN | 4251269312229 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 40 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 83 mm | Min. cable diam., with connector | 10 x KT small |
| | | Suitable for grommets | |

KEL 24|9-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42207 | Height | 17 mm |
| EAN | 4251269307973 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 30 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 83 mm | Min. cable diam., with connector | 7 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 24|9-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42207.200 | Height | 17 mm |
| EAN | 4251269307980 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 66 mm |
| For max. no. of cables | 30 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 83 mm | Min. cable diam., with connector | 7 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 24|20-MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42232 | Height | 17 mm |
| EAN | 4251269308215 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 82 mm |
| For max. no. of cables | 80 | No. of screw holes | 6 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 102 mm | Min. cable diam., with connector | 20 x KT small |
| | | Suitable for grommets | |

KEL 24|20-MT V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42232.200 | Height | 17 mm |
| EAN | 4251269308222 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 82 mm |
| For max. no. of cables | 80 | No. of screw holes | 6 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 102 mm | Min. cable diam., with connector | 20 x KT small |
| | | Suitable for grommets | |

KEL 24|17-MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42224 | Height | 17 mm |
| EAN | 4251269308130 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 82 mm |
| For max. no. of cables | 65 | No. of screw holes | 6 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 102 mm | Min. cable diam., with connector | 16 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 24|17-MT V2A

| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42224.200 | Height | 17 mm |
| EAN | 4251269308147 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 82 mm |
| For max. no. of cables | 65 | No. of screw holes | 6 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 102 mm | Min. cable diam., with connector | 16 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 24|14-MT

| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42225 | Height | 17 mm |
| EAN | 4251269308154 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 82 mm |
| For max. no. of cables | 50 | No. of screw holes | 6 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 102 mm | Min. cable diam., with connector | 12 x KT small |
| | | Suitable for grommets | 2 x KT large |


KEL 24|14-MT V2A

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width

42225.200
4251269308161
1
48
35 mm
147 mm
102 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets

17 mm
17 mm
112 × 82 mm
6
5,8 mm
Stainless steel (V2A)
12 x KT small
2 x KT large


KEL 24|11-MT

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width

42222
4251269308093
1
35
35 mm
147 mm
102 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets

17 mm
17 mm
112 × 82 mm
6
5,8 mm
Mild steel, galvanically zinc plated
8 x KT small
3 x KT large


KEL 24|11-MT V2A

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width

42222.200
4251269308109
1
35
35 mm
147 mm
102 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets

17 mm
17 mm
112 × 82 mm
6
5,8 mm
Stainless steel (V2A)
8 x KT small
3 x KT large


KEL 24|8-MT

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width

42221
4251269308079
1
20
35 mm
147 mm
102 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets

17 mm
17 mm
112 × 82 mm
6
5,8 mm
Mild steel, galvanically zinc plated
4 x KT small
4 x KT large


KEL 24|8-MT V2A

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width


42221.200
4251269308086
1
20
35 mm
147 mm
102 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets


17 mm
17 mm
112 × 82 mm
6
5,8 mm
Stainless steel (V2A)
4 x KT small
4 x KT large

KEL 24|30-2MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42234 | Height | 17 mm |
| EAN | 4251269308253 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 126 mm |
| For max. no. of cables | 120 | No. of screw holes | 8 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 146 mm | Min. cable diam., with connector | 30 x KT small |
| | | Suitable for grommets | |

KEL 24|30-2MT V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42234.200 | Height | 17 mm |
| EAN | 4251269308260 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 126 mm |
| For max. no. of cables | 120 | No. of screw holes | 8 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 146 mm | Min. cable diam., with connector | 30 x KT small |
| | | Suitable for grommets | |

KEL 24|27-2MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42233 | Height | 17 mm |
| EAN | 4251269308239 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 126 mm |
| For max. no. of cables | 105 | No. of screw holes | 8 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 146 mm | Min. cable diam., with connector | 26 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 24|27-2MT V2A

| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42233.200 | Height | 17 mm |
| EAN | 4251269308246 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 126 mm |
| For max. no. of cables | 105 | No. of screw holes | 8 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Stainless steel (V2A) |
| Width | 146 mm | Min. cable diam., with connector | 26 x KT small |
| | | Suitable for grommets | 1 x KT large |


KEL 24|24-2MT

| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42227 | Height | 17 mm |
| EAN | 4251269308192 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 112 × 126 mm |
| For max. no. of cables | 90 | No. of screw holes | 8 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 147 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 146 mm | Min. cable diam., with connector | 22 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 24|24-2MT V2A


Part No. **42227.200**
 EAN **4251269308208**
 Package quantity **1**
 For max. no. of cables **90**
 Max. cable diameter **35 mm**
 Length **147 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **22 x KT small**
2 x KT large

KEL 24|21-2MT


Part No. **42226**
 EAN **4251269308178**
 Package quantity **1**
 For max. no. of cables **75**
 Max. cable diameter **35 mm**
 Length **147 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector
 Suitable for grommets **18 x KT small**
3 x KT large

KEL 24|21-2MT V2A


Part No. **42226.200**
 EAN **4251269308185**
 Package quantity **1**
 For max. no. of cables **75**
 Max. cable diameter **35 mm**
 Length **147 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **18 x KT small**
3 x KT large

KEL 24|12-2MT


Part No. **42223**
 EAN **4251269308116**
 Package quantity **1**
 For max. no. of cables **30**
 Max. cable diameter **35 mm**
 Length **147 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector
 Suitable for grommets **6 x KT small**
6 x KT large


KEL 24|12-2MT V2A

Part No. **42223.200**
 EAN **4251269308123**
 Package quantity **1**
 For max. no. of cables **30**
 Max. cable diameter **35 mm**
 Length **147 mm**
 Width **146 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **6 x KT small**
6 x KT large

KEL 16|8


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42168 | Height | 17 mm |
| EAN | 4251269307911 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 32 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 8 x KT small |
| | | Suitable for grommets | |

KEL 16|8 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42168.200 | Height | 17 mm |
| EAN | 4251269307928 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 30 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | 8 x KT small |
| | | Suitable for grommets | |

KEL 16|5


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42165 | Height | 17 mm |
| EAN | 4251269307898 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 17 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 16|5 V2A

| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42165.200 | Height | 17 mm |
| EAN | 4251269307904 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 17 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 16|4


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42164 | Height | 17 mm |
| EAN | 4251269307874 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 16 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | |

KEL 16|4 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42164.200 | Height | 17 mm |
| EAN | 4251269307881 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 16 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 4 x KT small |

KEL 16|2


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42162 | Height | 17 mm |
| EAN | 4251269307850 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 2 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 2 x KT large |

KEL 16|2 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42162.200 | Height | 17 mm |
| EAN | 4251269307867 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 2 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 2 x KT large |

KEL 16|12-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42141 | Height | 17 mm |
| EAN | 4251269307713 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 66 mm |
| For max. no. of cables | 48 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 84 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 12 x KT small |

KEL 16|12-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42141.200 | Height | 17 mm |
| EAN | 4251269307720 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 66 mm |
| For max. no. of cables | 48 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 84 mm | Min. cable diam., with connector | |
| | | Suitable for grommets | 12 x KT small |

KEL 16|6-E


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42140 | Height | 17 mm |
| EAN | 4251269307690 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 66 mm |
| For max. no. of cables | 18 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 84 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 16|6-E V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42140.200 | Height | 17 mm |
| EAN | 4251269307706 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 66 mm |
| For max. no. of cables | 18 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 84 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 16|16-MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42145 | Height | 17 mm |
| EAN | 4251269307775 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 82 mm |
| For max. no. of cables | 64 | No. of screw holes | 6 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 102 mm | Min. cable diam., with connector | 16 x KT small |
| | | Suitable for grommets | 16 x KT small |

KEL 16|16-MT V2A

| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42145.200 | Height | 17 mm |
| EAN | 4251269307782 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 82 mm |
| For max. no. of cables | 61 | No. of screw holes | 6 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Stainless steel (V2A) |
| Width | 102 mm | Min. cable diam., with connector | 16 x KT small |
| | | Suitable for grommets | 16 x KT small |

KEL 16|10-MT


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42144 | Height | 17 mm |
| EAN | 4251269307751 | Mounting height | 17 mm |
| Package quantity | 1 | Cut-out size | 86 × 82 mm |
| For max. no. of cables | 34 | No. of screw holes | 6 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 102 mm | Min. cable diam., with connector | 8 x KT small |
| | | Suitable for grommets | 2 x KT large |

KEL 16|10-MT V2A

Part No. **42144.200**
 EAN **4251269307768**
 Package quantity **1**
 For max. no. of cables **34**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**

Part No. **42144.200**
 EAN **4251269307768**
 Package quantity **1**
 For max. no. of cables **34**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 82 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **8 x KT small**
2 x KT large

KEL 16|4-MT

Part No. **42143**
 EAN **4251269307737**
 Package quantity **1**
 For max. no. of cables **4**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**

Part No. **42143**
 EAN **4251269307737**
 Package quantity **1**
 For max. no. of cables **4**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 82 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector
 Suitable for grommets **4 x KT large**

KEL 16|4-MT V2A

Part No. **42143.200**
 EAN **4251269307744**
 Package quantity **1**
 For max. no. of cables **4**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**

Part No. **42143.200**
 EAN **4251269307744**
 Package quantity **1**
 For max. no. of cables **4**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **102 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 82 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **4 x KT large**

KEL 16|24-2MT

Part No. **42149**
 EAN **4251269307836**
 Package quantity **1**
 For max. no. of cables **96**
 Max. cable diameter **17 mm**
 Length **120 mm**
 Width **146 mm**

Part No. **42149**
 EAN **4251269307836**
 Package quantity **1**
 For max. no. of cables **96**
 Max. cable diameter **17 mm**
 Length **120 mm**
 Width **146 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector
 Suitable for grommets **24 x KT small**

KEL 16|24-2MT V2A

Part No. **42149.200**
 EAN **4251269307843**
 Package quantity **1**
 For max. no. of cables **96**
 Max. cable diameter **17 mm**
 Length **120 mm**
 Width **146 mm**

Part No. **42149.200**
 EAN **4251269307843**
 Package quantity **1**
 For max. no. of cables **96**
 Max. cable diameter **17 mm**
 Length **120 mm**
 Width **146 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector
 Suitable for grommets **24 x KT small**

KEL 16|12-2MT

Part No. **42148**
 EAN **4251269307812**
 Package quantity **1**
 For max. no. of cables **36**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **146 mm**


Part No. **42148**
 EAN **4251269307812**
 Package quantity **1**
 For max. no. of cables **36**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector
 Suitable for grommets **8 x KT small**
4 x KT large

KEL 16|12-2MT V2A


Part No. **42148.200**
 EAN **4251269307829**
 Package quantity **1**
 For max. no. of cables **36**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector **8 x KT small**
 Suitable for grommets **2 x KT large**

KEL 16|6-2MT


Part No. **42147**
 EAN **4251269307799**
 Package quantity **1**
 For max. no. of cables **6**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector **6 x KT large**
 Suitable for grommets

KEL 16|6-2MT V2A


Part No. **42147.200**
 EAN **4251269307805**
 Package quantity **1**
 For max. no. of cables **6**
 Max. cable diameter **35 mm**
 Length **120 mm**
 Width **146 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 × 126 mm**
 No. of screw holes **8**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector **6 x KT large**
 Suitable for grommets

KEL 10|6


Part No. **42216**
 EAN **4251269308055**
 Package quantity **10**
 For max. no. of cables **24**
 Max. cable diameter **17 mm**
 Length **98 mm**
 Width **58 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **65 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Screw material **Mild steel, galvanically zinc plated**
 Min. cable diam., with connector **6 x KT small**
 Suitable for grommets


KEL 10|6 V2A

Part No. **42216.200**
 EAN **4251269308062**
 Package quantity **10**
 For max. no. of cables **24**
 Max. cable diameter **17 mm**
 Length **98 mm**
 Width **58 mm**


Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **65 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Screw material **Stainless steel (V2A)**
 Min. cable diam., with connector **6 x KT small**
 Suitable for grommets

KEL 10|3


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42212 | Height | 17 mm |
| EAN | 4251269308031 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 9 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 98 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 2 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL 10|3 V2A


| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42212.200 | Height | 17 mm |
| EAN | 4251269308048 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 9 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 98 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | 2 x KT small |
| | | Suitable for grommets | 1 x KT large |

KEL-B4


| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42204 | Height | 17 mm |
| EAN | 4251269307935 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 46 × 46 mm |
| For max. no. of cables | 16 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 72 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | |

KEL-B4 V2A

| | | | |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No. | 42204.200 | Height | 17 mm |
| EAN | 4251269307942 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 46 × 46 mm |
| For max. no. of cables | 16 | No. of screw holes | 4 |
| Max. cable diameter | 17 mm | Diam. of screw holes | 5,8 mm |
| Length | 72 mm | Screw material | Stainless steel (V2A) |
| Width | 58 mm | Min. cable diam., with connector | 4 x KT small |
| | | Suitable for grommets | |

KEL-B1

| | | | |
|------------------------|----------------------|----------------------------------|---|
| Part No. | 42206 | Height | 17 mm |
| EAN | 4251269307959 | Mounting height | 17 mm |
| Package quantity | 10 | Cut-out size | 46 × 46 mm |
| For max. no. of cables | 1 | No. of screw holes | 4 |
| Max. cable diameter | 35 mm | Diam. of screw holes | 5,8 mm |
| Length | 72 mm | Screw material | Mild steel, galvanically zinc plated |
| Width | 58 mm | Min. cable diam., with connector | 1 x KT large |
| | | Suitable for grommets | |

KEL-B1 V2A

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Length
Width

42206.200
4251269307966
10
1
35 mm
72 mm
58 mm

Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Screw material
Min. cable diam., with connector
Suitable for grommets

17 mm
17 mm
46 x 46 mm
4
5,8 mm
Stainless steel (V2A)
1 x KT large

icotek[®]
smart cable management