

# CONFIX™ FWS □□□□ □□ □□ □□



90° □□□ □□□ □□□ □□□ CONFIX FWS □□□□□□□□□□. □□□ □□□ □□□□ □□□ □□ □ □□ □□□ □□ □

CONFIX FWS □□ □□□ □□□ □□□□ □□□□ :

CONFIX FWS-A □ M16~M50 □□□□ □□□ □□□□□

CONFIX FWS-B □ □□□□□□□ □□ □□□ □□□□ □□□ □ □□□□.

NW 13, 17, 23, 29, 37, 50.

□□ (RAL 7011) □ □□□ (RAL 9001) □□□□ □□□□.


- IP54
- RoHS compliant
- REACH COMPLIANCE
- Made in Germany

IP □□□□ (EN 60529)	IP54
	□□□□□□□□
	UL94-V0, □□□□□□
	-30 C° to 100 C°
	□□□ □□, □□□□□□
□□ □□	□□ □□□

- □ □□□
- □□□ □□□ □□□□ □□
- □□ □□ □□
- □□□ □□□


□□ □□ □ □□□

CONFIX™ FWS-A 16 bk



EAN	<b>31380</b>		
	<b>4251269300</b>	□□ □□	<b>3</b>
	<b>202</b>	□□□ □□	<b>4,3 mm</b>
	<b>10</b>		
	<b>49 mm</b>		
	<b>45 mm</b>		
	<b>32 mm</b>		
	<b>M16 × 1,5</b>		

CONFIX™ FWS-A 16 gy




EAN 31381 (RAL 7011)  
4251269300 3  
219 4,3 mm  
10  
49 mm  
45 mm  
32 mm  
M16 × 1,5

CONFIX™ FWS-A 20 bk




EAN 31383  
4251269300 3  
226 4,3 mm  
10  
49 mm  
45 mm  
32 mm  
M20 × 1,5

CONFIX™ FWS-A 20 gy




EAN 31384 (RAL 7011)  
4251269300 3  
233 4,3 mm  
10  
49 mm  
45 mm  
32 mm  
M20 × 1,5

CONFIX™ FWS-A 25 bk




EAN 31386  
4251269300 □□ □□ 3  
240 □□□ □□ 6,6 mm  
10  
67 mm  
63 mm  
41 mm  
M25 × 1,5

CONFIX™ FWS-A 25 gy




EAN 31387  
4251269300 □□ □□ □□(RAL 7011) 3  
257 □□□ □□ 6,6 mm  
10  
67 mm  
63 mm  
41 mm  
M25 × 1,5

CONFIX™ FWS-A 32 bk



EAN 31389  
4251269300 □□ □□ 4  
264 □□□ □□ 6,6 mm  
10  
85 mm  
76 mm  
51 mm  
M32 × 1,5

CONFIX™ FWS-A 32 gy




EAN 31390 4251269300 00 00 271 000 00 10 85 mm 76 mm 51 mm M32 × 1,5 (RAL 7011) 4 6,6 mm

CONFIX™ FWS-A 40 bk



EAN 31392 4251269300 00 00 288 000 00 5 97 mm 92 mm 56 mm M40 × 1,5 4 6,6 mm

CONFIX™ FWS-A 40 gy




EAN 31393 4251269300 00 00 295 000 00 5 97 mm 92 mm 56 mm M40 × 1,5 (RAL 7011) 4 6,6 mm

CONFIX™ FWS-A 50 bk




EAN 31395  
4251269300 □□ □□ 4  
301 □□□ □□ 6,6 mm  
5  
111 mm  
100 mm  
73 mm  
M50 × 1,5

CONFIX™ FWS-A 50 gy




EAN 31396  
4251269300 □□ □□ □□(RAL 7011) 4  
318 □□□ □□ 6,6 mm  
5  
111 mm  
100 mm  
73 mm  
M50 × 1,5

CONFIX™ FWS-B 11 bk



EAN 31410  
4251269300 □□ □□ NW 13  
325 □□□ □□ 3  
10 4,3 mm  
49 mm  
45 mm  
32 mm

CONFIX™ FWS-B 11 gy



EAN

31411

4251269300 □□ □□

332 □□□ □□

10

49 mm

45 mm

32 mm


□□(RAL 7011)

NW 13

3

4,3 mm

CONFIX™ FWS-B 16 bk



EAN

31413

4251269300 □□ □□

349 □□□ □□

10

49 mm

45 mm


32 mm

NW 17

3

4,3 mm

CONFIX™ FWS-B 16 gy



EAN

31414

4251269300 □□ □□

356 □□□ □□

10

49 mm

45 mm

32 mm


□□(RAL 7011)

NW 17

3

4,3 mm


CONFIX™ FWS-B 21 bk



EAN 31416 4251269300 363 10 67 mm 63 mm 41 mm

NW 23 3 6,6 mm

CONFIX™ FWS-B 21 gy




EAN 31417 4251269300 370 10 67 mm 63 mm 41 mm

NW 23 3 6,6 mm

(RAL 7011)


CONFIX™ FWS-B 29 bk



EAN 31419 4251269300 387 10 85 mm 76 mm 51 mm

NW 29 4 6,6 mm

CONFIX™ FWS-B 29 gy



EAN

31420

4251269300 □□ □□

394 □□□ □□

10

85 mm

76 mm

51 mm

□□(RAL 7011)

NW 29

4

6,6 mm

CONFIX™ FWS-B 36 bk



EAN

31422

4251269300 □□ □□

400 □□□ □□

5

97 mm

92 mm


56 mm

NW 37

4

6,6 mm

CONFIX™ FWS-B 36 gy



EAN

31423

4251269300 □□ □□

417 □□□ □□

5

97 mm

92 mm

56 mm

□□(RAL 7011)


NW 37

4

6,6 mm



CONFIX™ FWS-B 48 bk



EAN

31425

4251269300 □□ □□

424 □□□ □□

5

111 mm

100 mm


73 mm

NW 50

4

6,6 mm

CONFIX™ FWS-B 48 gy



EAN

31426

4251269300 □□ □□

431 □□□ □□

5

111 mm

100 mm

73 mm

□□(RAL 7011)

NW 50

4

6,6 mm

**icotek**<sup>®</sup>  
smart cable management