

# CONFIX™ WS 0000 00 0000



RoHS  
compliant

REACH  
COMPLIANCE

Made in  
Germany

00 00 00000 0000 000 0 00 00 000000 0000 000 000000.

icotek 0000 00 (NW 7.5, 8.5, 10, 13, 17, 23, 29, 37, 50) 0000 000000. NW 13 00 0000 00  
CONFIX™ FWS 0000 0000 0000 0000 0000 0 00000.

00 00 0000 0 007+ 00000.

CONFIX™ WS-PA: 00 0000 0000 0000 0000 0000 (00 0, 00, 00000, 00, 00000 0 0000 000 0)

CONFIX™ WS-PAL (light): 00 0000 0000 0000 0000 0000 (00 0, 00, 00000, 00, 00000 0 0000 00)

CONFIX™ WS-PP: 0000000 0000 (00 0, 00, 00000 0 00000 00 00)

## 00 0 00

- CONFIX™ WS-PA: 00 0000 00
- CONFIX™ WS-PA(L): 0000 000000 00 00 00
- CONFIX™ WS-PAL: Perfect for suspended installation
- CONFIX™ WS-PP: 00 00 00 UL94-V2
- CONFIX™ WS-PP: 00, 00000 00 00 0 000000 00 00 00

000000  
0000000

UL94-HB

-40 C° to 120 C°

UV-00, high resistance against  
acids/alkalis, 000000

## 00 00 0 00

CONFIX™ WS-B-PA-NW 7.5



EAN

31570

00 0000

6,7 mm

42512693005

30

1

50.000 mm

NW 7.5

00 0000

10 mm

CONFIX™ WS-G-PA-NW 7.5



EAN 31550 00 000 6,7 mm  
42512693004  
48  
1  
50.000 mm  
00(RAL 7011)  
NW 7.5  
00 000 10 mm

CONFIX™ WS-B-PA-NW 8.5



EAN 31572 00 000 8,4 mm  
42512693005  
47  
1  
50.000 mm  
NW 8.5  
00 000 11,4 mm

CONFIX™ WS-G-PA-NW 8.5



EAN 31552 00 000 8,4 mm  
42512693004  
55  
1  
50.000 mm  
00(RAL 7011)  
NW 8.5  
00 000 11,4 mm

CONFIX™ WS-B-PA-NW 10



EAN 31574 00 000 9,9 mm  
42512693005  
54  
1  
50.000 mm  
NW 10  
13 mm

CONFIX™ WS-G-PA-NW 10



EAN 31554 00 000 9,9 mm  
42512693004  
62  
1  
50.000 mm  
00(RAL 7011)  
NW 10  
13 mm

CONFIX™ WS-B-PA-NW 13



EAN 31576 00 000 12,7 mm  
42512693005 00 00 CONFIX™ 31410  
61 FWS  
1  
50.000 mm  
NW 13  
15,8 mm

CONFIX™ WS-G-PA-NW 13



EAN 31556 12,7 mm  
42512693004 CONFIX™ 31411  
79 FWS  
1  
50.000 mm  
RAL 7011  
NW 13  
15,8 mm

CONFIX™ WS-B-PA-NW 17



EAN 31578 16,6 mm  
42512693005 CONFIX™ 31413  
78 FWS  
1  
50.000 mm  
NW 17  
21,2 mm

CONFIX™ WS-G-PA-NW 17



EAN 31558 16,6 mm  
42512693004 CONFIX™ 31414  
86 FWS  
1  
50.000 mm  
RAL 7011  
NW 17  
21,2 mm

CONFIX™ WS-B-PA-NW 23



EAN 31580 23,2 mm  
42512693005 00 00 CONFIX™ 31416  
85 FWS  
1  
50.000 mm  
00 000  
NW 23  
28,3 mm

CONFIX™ WS-G-PA-NW 23



EAN 31560 23,2 mm  
42512693004 00 00 CONFIX™ 31417  
93 FWS  
1  
50.000 mm  
00(RAL 7011)  
NW 23  
00 000  
28,3 mm

CONFIX™ WS-B-PA-NW 29



EAN 31582 29 mm  
42512693005 00 00 CONFIX™ 31419  
92 FWS  
1  
25.000 mm  
00 000  
NW 29  
34,5 mm

CONFIX™ WS-G-PA-NW 29



EAN 31562 00 000 29 mm  
42512693005 00 00 CONFIX™ 31420  
09 FWS  
1  
25.000 mm  
00(RAL 7011)  
NW 29  
00 000 34,5 mm

CONFIX™ WS-B-PA-NW 37



EAN 31584 00 000 36 mm  
42512693006 00 00 CONFIX™ 31422  
08 FWS  
1  
25.000 mm  
NW 37  
00 000 42,4 mm

CONFIX™ WS-G-PA-NW 37




EAN 31564 00 000 36 mm  
42512693005 00 00 CONFIX™ 31423  
16 FWS  
1  
25.000 mm  
00(RAL 7011)  
NW 37  
00 000 42,4 mm

CONFIX™ WS-B-PA-NW 50



EAN 31586 47,7 mm  
42512693006 CONFIX™ 31425  
15 FWS  
1  
25.000 mm  
NW 50  
54,5 mm

CONFIX™ WS-G-PA-NW 50



EAN 31566 47,7 mm  
42512693005 CONFIX™ 31426  
23 FWS  
1  
25.000 mm  
RAL 7011  
NW 50  
54,5 mm

CONFIX™ WS-B-PAL-NW 7.5



EAN 31590 6,7 mm  
42512693006  
22  
1  
50.000 mm  
NW 7.5  
10 mm

**CONFIX™ WS-B-PAL-NW 8.5**



EAN      **31592**      □□ □□      **8,4 mm**  
**42512693006**  
**39**  
**1**  
**50.000 mm**

□□ □□      **NW 8.5**  
**11,4 mm**

**CONFIX™ WS-B-PAL-NW 10**



EAN      **31594**      □□ □□      **9,9 mm**  
**42512693006**  
**46**  
**1**  
**50.000 mm**

□□ □□      **NW 10**  
**13 mm**

**CONFIX™ WS-B-PAL-NW 13**



EAN      **31596**      □□ □□      **12,7 mm**  
**42512693006**      □□ □□ CONFIX™      **31410**  
**53**      FWS  
**1**  
**50.000 mm**

□□ □□      **NW 13**  
**15,8 mm**



CONFIX™ WS-B-PAL-NW 17



EAN 31598 00 000 16,6 mm  
42512693006 00 00 CONFIX™ 31413  
60 FWS  
1  
50.000 mm  
00 000  
NW 17  
21,2 mm

CONFIX™ WS-B-PAL-NW 23



EAN 31600 00 000 23,2 mm  
42512693006 00 00 CONFIX™ 31416  
77 FWS  
1  
50.000 mm  
00 000  
NW 23  
28,3 mm

CONFIX™ WS-B-PAL-NW 29



EAN 31602 00 000 29 mm  
42512693006 00 00 CONFIX™ 31419  
84 FWS  
1  
25.000 mm  
00 000  
NW 29  
34,5 mm

CONFIX™ WS-B-PAL-NW 37



EAN 31604 36 mm  
42512693006 CONFIX™ 31422  
91 FWS  
1  
25.000 mm  
NW 37  
42,4 mm

CONFIX™ WS-B-PAL-NW 50



EAN 31606 47,7 mm  
42512693007 CONFIX™ 31425  
07 FWS  
1  
25.000 mm  
NW 50  
54,4 mm

CONFIX™ WS-B-PP-NW 7.5



EAN 31610 7,1 mm  
42512693007  
14  
1  
50.000 mm  
NW 7.5  
10 mm

CONFIX™ WS-B-PP-NW 8.5



EAN 31612 00 000 8,4 mm  
42512693007  
21  
1  
50.000 mm  
00 000  
NW 8.5  
11,4 mm

CONFIX™ WS-B-PP-NW 10



EAN 31614 00 000 9,9 mm  
42512693007  
38  
1  
50.000 mm  
00 000  
NW 10  
13 mm

CONFIX™ WS-B-PP-NW 13



EAN 31616 00 000 12,7 mm  
42512693007 00 000 CONFIX™ 31410  
45 FWS  
1  
50.000 mm  
00 000  
NW 13  
15,8 mm

CONFIX™ WS-B-PP-NW 17



EAN 31618 00 000 16,6 mm  
42512693007 00 00 CONFIX™ 31413  
52 FWS  
1  
50.000 mm  
00 000  
NW 17  
21,2 mm

CONFIX™ WS-B-PP-NW 23



EAN 31620 00 000 23,2 mm  
42512693007 00 00 CONFIX™ 31416  
69 FWS  
1  
50.000 mm  
00 000  
NW 23  
28,3 mm

CONFIX™ WS-B-PP-NW 29



EAN 31622 00 000 29 mm  
42512693007 00 00 CONFIX™ 31419  
76 FWS  
1  
25.000 mm  
00 000  
NW 29  
34,5 mm

CONFIX™ WS-B-PP-NW 37



EAN 31624 36 mm  
42512693007 83 CONFIX™ 31422  
1 FWS  
25.000 mm  
NW 37  
42,4 mm

CONFIX™ WS-B-PP-NW 50



EAN 31626 47,7 mm  
42512693007 90 CONFIX™ 31425  
1 FWS  
25.000 mm  
NW 50  
54,5 mm