


KDR-BMP

Rittal TS 8 & Rittal VX25 / IP54



VX25 KDR-BMP (3 pieces) 가.

가.

KDR-BMP MP MP0-MP11 가.

Rittal 가.

IP54

RoHS compliant

REACH COMPLIANCE

Made in Germany

가 가

가 가

가 가 가

IP (EN 60529)

IP54

가

가 가 가

KDR-BMP-VX25 600|600

EAN

43334

487 mm

4251269321 가 MP 2

641

1

487 mm


8,5 mm

600 mm


Rittal VX25

가

가




KDR-BMP-VX25 800|600



EAN **43340** **687 mm**
4251269321 □□ □□□ MP □ **3**
658
1
487 mm
8,5 mm
□□□□ □□ **800 mm**
□□□□ □□ **Rittal VX25**

KDR-BMP-VX25 1000|600




EAN **43346** **887 mm**
4251269321 □□ □□□ MP □ **4**
665
1
487 mm
8,5 mm
1.000 mm
□□□□ □□ **Rittal VX25**
□□□□ □□

KDR-BMP-VX25 1200|600




EAN **43352** **1.087 mm**
4251269321 □□ □□□ MP □ **6**
672
1
487 mm
8,5 mm
1.200 mm
□□□□ □□ **Rittal VX25**
□□□□ □□

KDR-BMP-TS8 600|400




EAN **43300** 400 mm
4251269309
663 1
12 mm
Rittal TS 8
468 mm
262 mm

KDR-BMP-TS8 600|500




EAN **43302** 500 mm
4251269309
670 2
1
12 mm
Rittal TS 8
468 mm
362 mm

KDR-BMP-TS8 600|600



EAN **43304** 600 mm
4251269309
687 2
1
12 mm
Rittal TS 8
468 mm
462 mm

KDR-BMP-TS8 800|400




EAN 43306 4251269309 694 1 12 mm Rittal TS 8 668 mm 262 mm

□□□□ □□ 400 mm

□□ □□□□ MP □ 1

□□□□ □□

KDR-BMP-TS8 800|500




EAN 43308 4251269309 700 1 12 mm Rittal TS 8 668 mm 362 mm

□□□□ □□ 500 mm

□□ □□□□ MP □ 3

□□□□ □□

KDR-BMP-TS8 800|600




EAN 43310 4251269309 717 1 12 mm Rittal TS 8 668 mm 462 mm

□□□□ □□ 600 mm

□□ □□□□ MP □ 3

□□□□ □□

KDR-BMP-TS8 1000|400




EAN 43312 4251269309 724 1 12 mm Rittal TS 8 427 mm 262 mm

□□□□ □□ 400 mm

□□ □□□□ MP □ 1

KDR-BMP-TS8 1000|500




EAN 43314 4251269309 731 1 12 mm Rittal TS 8 427 mm 362 mm

□□□□ □□ 500 mm

□□ □□□□ MP □ 2

KDR-BMP-TS8 1000|600




EAN 43316 4251269309 748 1 12 mm Rittal TS 8 427 mm 462 mm

□□□□ □□ 600 mm

□□ □□□□ MP □ 2

KDR-BMP-TS8 1200|400



EAN 43318 4251269309 755 1
12 mm
Rittal TS 8
527 mm
262 mm

□□□□ □□ 400 mm
□□ □□□□ MP □ 1


KDR-BMP-TS8 1200|500



EAN 43320 4251269309 762 1
12 mm
Rittal TS 8
527 mm
362 mm

□□□□ □□ 500 mm
□□ □□□□ MP □ 3

KDR-BMP-TS8 1200|600-r



EAN 43324 4251269309 786 1
12 mm
Rittal TS 8
527 mm
462 mm

□□□□ □□ 600 mm
□□ □□□□ MP □ 3

EAN 43322 600 mm
4251269309
779 1
12 mm
Rittal TS 8
527 mm
462 mm

